



TESA | 85
TECHNOLOGY YEARS

MEASURE

UP

TESA Q4 2026 promotion

Version EN-EUR



[TESAtechnology.com](https://www.tesa-technology.com)



NEW PRODUCTS

INTERAPID 313
lever-type dial test
indicators

RUGOSURFACE
roughness gauge

TESA ANNIVERSARY

A new name for our TESA-Hits



Valid until 31.12.2026 – Prices exclude VAT

85 Years of Swiss Precision

For 85 years, TESA Technology has stood for Swiss precision, innovation and trusted measurement expertise. From our beginnings to today, our commitment has stayed the same: reliable solutions that help manufacturers and metrology professionals work with greater precision, efficiency and confidence.

The world of manufacturing and metrology is changing — digitalization, connected solutions and smarter workflows are shaping the future of measurement. Building on our 85-year heritage, we keep investing in innovative products and digital technologies to create even more value for our customers.

From TESA-Hits to Measure UP

This same spirit of evolution now reaches our promotional campaign. For years, TESA-Hits brought together our best products, exclusive promotions and customer favourites. As we enter this new chapter, it's time for a new name.

Welcome to **Measure UP**.

- **Measure** – our passion for precision measurement and metrology expertise
- **UP** – our commitment to continuous improvement, innovation and growth

What doesn't change: trusted quality, reliable products, attractive promotions — all designed around our customers' needs.

TESA-Hits closes one chapter. Measure UP opens the next.

Together, let's Measure UP.



Marketing & Sales, joining forces

A new approach to customer engagement — bringing Marketing and Sales together to introduce a contemporary promotion format designed for customers who value quality, precision and technical excellence.

Pictured: Uwe Burkardt, Director Marketing, and Eric Bellanger, Head of Global Sales



Data-packs: digital calipers + TLC-BLE Bluetooth® emitter



141€

00511019



Article number	Measuring range mm	Resolution mm	Degree of protection	Thumb roller	Depth rod	List price €	Promo price €
00511019	0 ÷ 150	0,01	IP40	With	Round	201	141
00511020	0 ÷ 150	0,01	IP40	Without	Square	201	141
00511021	0 ÷ 150	0,01	IP67	Without	Square	268	188
00511022	0 ÷ 150	0,01	IP67	Without	Round	268	188
00511023	0 ÷ 150	0,01	IP67	With	Round	268	188





TWIN-CAL IP67 universal digital caliper



Article number	Measuring range mm	Resolution mm	Degree of protection	Thumb roller	Depth rod	List price €	Promo price €
00530319	0 ÷ 150	0,01	IP67	Without	Square	218	153
00530320	0 ÷ 150	0,01	IP67	Without	Round	218	153
00530321	0 ÷ 150	0,01	IP67	With	Round	219	153
00530322	0 ÷ 200	0,01	IP67	With	Square	294	206
00530323	0 ÷ 300	0,01	IP67	With	Square	378	265



Trio-Pack: 3 universal digital calipers TWIN-CAL IP67



THINK BIG!

With the Trio-Pack each instrument is only ~~144€~~!

Article number	Measuring range mm	Resolution mm	Degree of protection	Thumb roller	Depth rod	List price €	Promo price €
00530319P	0 ÷ 150	0,01	IP67	Without	Square	614	430
00530320P	0 ÷ 150	0,01	IP67	Without	Round	614	430



TESA-CAL IP67 universal digital caliper



Article number	Measuring range mm	Resolution mm	Degree of protection	Thumb roller	Depth rod	List price €	Promo price €
00530140	0 ÷ 150	0,01	IP67	Without	Square	139	97
00530141	0 ÷ 150	0,01	IP67	Without	Round	139	97
00530142	0 ÷ 200	0,01	IP67	With	Square	201	141
00530143	0 ÷ 300	0,01	IP67	With	Square	273	191



Trio-Packs: 3 universal digital calipers TESA-CAL IP67



THINK BIG!

With the Trio-Pack each instrument is only 92€!

Article number	Measuring range mm	Resolution mm	Degree of protection	Thumb roller	Depth rod	List price €	Promo price €
00530140P	0 ÷ 150	0,01	IP67	Without	Square	394	276
00530141P	0 ÷ 150	0,01	IP67	Without	Round	394	276



2D height gauges MICRO-HITE and MICRO-HITE+M



00730074



00730080



Article number	Designation	Execution	Measuring range mm	Max. perm. errors, μm	Repeatability limit, μm	List price €	Promo price €
00730073	MICRO-HITE 350	Manual	0 ÷ 365	2 + 2L	On surface: ≤ 1 On arc: ≤ 1	8184	7366
00730074	MICRO-HITE 600	Manual	0 ÷ 615	2 + 2L	On surface: ≤ 1 On arc: ≤ 1	8819	7937
00730075	MICRO-HITE 900	Manual	0 ÷ 920	2 + 2L	On surface: ≤ 1 On arc: ≤ 1	12628	11365
00730079	MICRO-HITE+M 350	Motorised	0 ÷ 365	1,8 + 2L	On surface: $\leq 0,5$ On arc: ≤ 1	8666	7799
00730080	MICRO-HITE+M 600	Motorised	0 ÷ 615	1,8 + 2L	On surface: $\leq 0,5$ On arc: ≤ 1	9327	8394
00730081	MICRO-HITE+M 900	Motorised	0 ÷ 920	1,8 + 2L	On surface: $\leq 0,5$ On arc: ≤ 1	13002	11702




L in m





Accessories set for height gauge

810€



Article number	Designation	List price €	Promo price €
00760175	Medium Kit 2, 9 elements	1157	810

Contents of the Set

Description

- 1x Insert holder Ø 6 mm, L = 45 mm, for M3 inserts
- 1x Insert with shank, steel, 8° angle, L = 78 mm
- 1x Insert with shank, steel, L = 76 mm
- 1x M3 ball insert, steel, Ø 0,9 mm, L = 26,6 mm
- 1x M3 ball insert, steel, Ø 1,9 mm, L = 26,6 mm
- 1x M3 ball insert, steel, Ø 2,9 mm, L = 26,6 mm
- 1x Cone-shaped insert M3, steel, Ø 8 mm, L = 28 mm
- 1x Extension M3, L = 20 mm
- 1x Extension M3-M2,5, L = 20 mm



TESA μ -HITE measuring station



00730503

Article number	Application range mm	Execution	Max. perm. errors μ m	Repeatability limit μ m	List price €	Promo price €
00730503	0 ÷ 100	Motorised	Axial: 1 Offset: 2	Axial: 0,5 Offset: 1	6151	5536
00730503P2	0 ÷ 100	Motorised	Axial: 1 Offset: 2	Axial: 0,5 Offset: 1	7478	6730



00730503P2

Contents of the Set

Description

- 1x μ -HITE
- 1x Foot pedal, jack connector, cable length = 2 m
- 1x Bluetooth® transmitter kit TLC-BLE + USB dongle receiver + 1.5 m extension cable
- 1x Accessory set, 9 items



Analogue dial gauges



103€

01419047



68€

01419048



231€


01419058



146€

01419080

Article number	Measuring range	Travel / revolution, mm	Resolution mm	Circular scale	Shockproof mechanism	Dial, Ø mm	List price €	Promo price €
0141760501	10	10	0,1	0 ÷ 5 ÷ 10	Without	58	99	79
01419047	5	0,5	0,01	0 ÷ 25 ÷ 50	With	40	129	103
01419048	10	1	0,01	0 ÷ 50 ÷ 100	With	58	85	68
01419058	5	0,2	0,002	0 ÷ 10 ÷ 20	With	58	289	231
01419080	3,5	0,5	0,01	0 ÷ 25 ÷ 50	Without	28	183	146



01419048



DIALTRONIC digital dial gauges



349€

01930260



600€

01930301



685€

01930305



484€

01930321

Article number	Measuring range, mm	Degree of protection	Dial, Ø mm	Measuring force, N	Data output	List price €	Promo price €
01930260	12,5	IP54	45	0,5 ÷ 0,9	RS232	498	349
01930261	12,5	IP54	45	0,5 ÷ 0,9	RS232	708	496
01930301	12,5	IP54	60	0,65 ÷ 0,9	RS232	857	600
01930305	25	IP54	60	0,65 ÷ 1,15	RS232	979	685
01930315	12,5	IP54	60	0,65 ÷ 0,9	RS232 and Bluetooth®	1012	860
01930320	12,5	IP51	60	0,65 ÷ 0,9	RS232	595	417
01930321	12,5	IP51	60	0,65 ÷ 0,9	RS232	691	484



01930301



Measuring supports



Article number	Designation	List price €	Promo price €
01639060	Magnetic support with articulated arm, H = 220 mm	343	274
01639061	Magnetic support with articulated arm, H = 310 mm	355	284
01639062	Magnetic support with articulated arm, H = 390 mm	436	349
01639070	Magnetic support EASY	252	202

Dial gauges are not included in the supplied sets.



01639061



INTERAPID 313

analogue lever-type dial test indicators



074111566



074111567

Article number	Measuring range mm	Resolution mm	Travel / revolution, mm	Circular scale	Dial, Ø mm	List price €	Promo price €
074111566	1,6	0,01	0,8	0,01	40,4	422	380
074111567	1,6	0,01	0,8	0,01	30,8	418	376

Accessories

Article number	Designation	List price €	Promo price €
01639007	UJ15 magnetic support	237	190
01840405	Swivel holder with dovetail clamp, shaft = Ø 8 x 90 mm	73	58
01840409	Dovetail fixing rod, swivelling, shaft = Ø 8 x 64,35 mm	40	32
074108942	Reducing sleeve, Ø 8 mm - Ø 4 mm	22	18



01639007



01840405



01840409



074108942



For 75 years, INTERAPID has been synonymous with absolute precision. From generation to generation, it is not only the instruments that evolve, but also the exceptional expertise that is passed down, ensuring that machinists can have complete confidence—both today and in the future.

Interapid
313→





P-LINE analogue lever-type dial test indicators



01810403

491€



01810405

502€



01810406

508€



01810404

498€

Article number	Series	Measuring range, mm	Circular scale	Resolution mm	Rotary dial Yes/No	Dial, Ø mm	List price €	Promo price €
01810403	P-LINE 212GL	3	0 ÷ 50 ÷ 100	0,01	Yes	40	614	491
01810404	P-LINE 215	0,6	0 ÷ 5 ÷ 10	0,002	Yes	27	623	498
01810405	P-LINE 215G	0,6	0 ÷ 5 ÷ 10	0,002	Yes	40	628	502
01810406	P-LINE 215GL	1,2	0 ÷ 10 ÷ 20	0,002	Yes	40	635	508



01810403



TESATAST analogue lever-type dial test indicators



143€

01810005



153€

01810006



163€

01810009



178€

01810010

Article number	Measuring range mm	Resolution mm	Circular scale	Dial, Ø mm	List price €	Promo price €
01810005	0,8	0,01	0,01	28	179	143
01810006	0,8	0,01	0,01	38	191	153
01810009	0,2	0,002	0,002	28	204	163
01810010	0,2	0,002	0,002	38	222	178



TESATAST analogue lever-type dial test indicator + magnetic support



190€

Article number	Designation	List price €	Promo price €
01639055	Set with magnetic support + TESATAST	237	190



ISOMASTER analogue external micrometers and head



00211202

51€



00110101

148€

Article number	Designation	Measuring range mm	Travel / revolution, mm	Resolution mm	List price €	Promo price €
00211202	ISOMASTER analogue head, 0 ÷ 25 mm	0 ÷ 25	0,5	0,01	73	51
00110101	ISOMASTER AA micrometer	0 ÷ 25	0,5	0,01	212	148
00110102	ISOMASTER AA micrometer	25 ÷ 50	0,5	0,01	310	217
00110103	ISOMASTER AA micrometer	50 ÷ 75	0,5	0,01	331	232
00110104	ISOMASTER AA micrometer	75 ÷ 100	0,5	0,01	378	265



MICROMASTER EASY digital external micrometer



06030010

305€



00160201



02510002

Article number	Designation	Measuring range mm	Resolution mm	List price €	Promo price €
06030010	MICROMASTER EASY	0 ÷ 30	0,001	435	305

Accessories

Article number	Designation	List price €	Promo price €
00160201	Micrometer stand with 16 mm clamp aperture	146	102
02510002	Optical flat, 12,125 mm	289	202



Digital clinometers CLINOBEVEL



2167€

05330204

5659€




05330220

Article number	Designation	Measuring range	Resolution mm/m	List price €	Promo price €
05330204	CLINOBEVEL 1 USB	± 45	0,020	2281	2167
05330220	CLINOBEVEL 3 SQUARE	± 60	0,025	6288	5659
05330221	CLINOBEVEL 3 SQUARE	± 1	0,001	12862	11576



Spirit levels



1269€

05331050



719€

05331502

Article number	Designation	Resolution mm/m	For shafts mm	Dimensions mm	List price €	Promo price €
05331050	Precision spirit level	0,02	Ø 17 ÷ 84	100 x 32 x 35	1586	1269
05331502	Spirit level, 2 longitudinal and cross vials	0,3		Ø 60 x 13	899	719



TWIN-SURF roughness gauge



06930014

Article number	Designation	List price €	Promo price €
06930014	TWIN-SURF roughness gauge	2859	2573
06930015	TWIN-SURF roughness gauge, Bluetooth® version	3069	2762

The TWIN-SURF (Bluetooth® version) is only available in countries where it is officially certified. Visit our website to know the list of countries in which this product is available.





RUGO-SURFACE roughness gauge

10687€



Article number	Designation	List price €	Promo price €
06930016	RUGO-SURFACE roughness gauge	11874	10687
06930017	RUGO-SURFACE roughness gauge, Bluetooth® version	11874	10687

The RUGO-SURFACE (Bluetooth® version) is only available in countries where it is officially certified. Visit our website to know the list of countries in which this product is available.

Accessories

Article number	Designation	List price €	Promo price €
06960205	4-S stylus, chisel tip, for RUGO-SURFACE, for profilometry < 3 mm	814	733
06960208	Profile calibration standard, 2.5 mm, for RUGO-SURFACE	1163	1047
06960210	20 mm profile set for RUGO-SURFACE	6477	5829





TWIN-CAL IP67 digital workshop calipers




Article number	Measuring range mm	Resolution mm	Resolution in	Data output	List price €	Promo price €
00530431	0 ÷ 200	0,01	.0005	TLC	531	372
00530433	0 ÷ 300	0,01	.0005	TLC	629	440
00530434	0 ÷ 500	0,01	.0005	TLC	1077	754
00530435	0 ÷ 600	0,01	.0005	TLC	1293	905



00530431




Analogue workshop calipers



Article number	Measuring range mm	Resolution mm	Resolution in	Fine adjustment	List price €	Promo price €
00510506	0 ÷ 200	0,05		Without	107	64
00510509	0 ÷ 200	0,02		Without	107	64
00530602	0 ÷ 200	0,05	1/128	With	131	79
00530506	0 ÷ 200	0,05	1/128	Without	111	67
00510621	0 ÷ 300	0,02		With	166	100
00510622	0 ÷ 300	0,05		With	166	100
00530622	0 ÷ 300	0,05	1/128	With	165	99
00530522	0 ÷ 300	0,05	1/128	Without	150	90
00510641	0 ÷ 500	0,02		With	415	249
00510642	0 ÷ 500	0,05		With	415	249



Vernier workshop caliper with knife-edge external jaws




Article number	Measuring range mm	Resolution mm	Fine adjustment	List price €	Promo price €
00510701	0 ÷ 200	0,02	Without	143	86
00510702	0 ÷ 200	0,05	Without	143	86
00510801	0 ÷ 200	0,02	With	157	94
00510802	0 ÷ 200	0,05	With	157	94
00510821	0 ÷ 300	0,02	With	184	110
00510822	0 ÷ 300	0,05	With	184	110





Vernier depth caliper with short cut measuring face




Article number	Measuring range mm	Resolution mm	Steel tip	List price €	Promo price €
00510224	0 ÷ 150	0,05	With	122	73
00510225	0 ÷ 200	0,02	With	138	83
00510226	0 ÷ 200	0,05	With	138	83
00510227	0 ÷ 300	0,02	With	149	89
00510228	0 ÷ 300	0,05	With	149	89
00510263	0 ÷ 500	0,02	Without	157	94
00510264	0 ÷ 500	0,05	Without	157	94






Vernier depth caliper with fixed stop plate



Article number	Measuring range mm	Resolution mm	List price €	Promo price €
00510275	0 ÷ 150	0,02	143	86
00510276	0 ÷ 150	0,05	143	86
00510277	0 ÷ 200	0,02	155	93
00510278	0 ÷ 200	0,05	155	93



Vernier depth caliper with rotary stop plate



Article number	Measuring range mm	Resolution mm	List price €	Promo price €
00510294	0 ÷ 250	0,05	187	112
00510295	0 ÷ 500	0,02	239	143
00510296	0 ÷ 500	0,05	239	143



Setting rings



221€

00840106

Article number	Designation	List price €	Promo price €
00840106	Ring gauge, Ø 25 mm	315	221
00840108	Ring gauge, Ø 50 mm	570	399
00840109	Ring gauge, Ø 70 mm	750	525

VERIBOR light bore gauge



319€

05710090



01419051


Article number	Designation	Measuring range mm	Application range mm	List price €	Promo price €
05710090	VERIBOR light bore gauge, 18 ÷ 35 mm	1,3	18 ÷ 35	455	319
05710091	VERIBOR light bore gauge, 35 ÷ 60 mm	1,4	35 ÷ 60	415	291
05710092	VERIBOR light bore gauge, 50 ÷ 150 mm	1,4	50 ÷ 150	534	374
05710093	VERIBOR light bore gauge, 18 ÷ 150 mm	1,3 / 1,4	18 ÷ 150	829	580

Accessory

Article number	Designation	List price €	Promo price €
01419051	Analogue dial gauge, 0,1 mm, 0,001 mm, Ø 62 mm, IP40	361	253



Display units and measuring probes



Article number	Designation	List price €	Promo price €
04430014	TWIN-T20 display	1866	1493
04430015	TWIN-T40 display unit	2424	2182
03210904	GT21-I probe	415	332
03210924	GT22-I probe	436	349
02660048	VDE probe holder, Ø 8 mm, L = 28 mm	165	132



ISO 9001

SCHUT.COM

Schut Geometrische Meettechniek bv
(Schut Geometrical Metrology)
Duinkerkenstraat 21, 9723 BN Groningen
The Netherlands
Tel: +31-(0)50-5877877
E-mail: SchutNL@Schut.com

We reserve the right to make changes to our products, especially due to technical improvements and further developments. All illustrations and technical data are therefore without guarantee. All prices shown are non-binding price recommendations.